
Wood solutions
S'MATCH-IT

Play to win





NDEX

WHY CHOOSE TARKETT SPORTS	4
SPORTS SURFACE STANDARD - EN14904	6
HOW TO CHOOSE YOUR INDOOR SPORTS FLOORING?	8
S'MATCH-IT WOOD SOLUTIONS	10
SOLUTION GUIDE	11
S'MATCH-IT COLLECTION	
REFLEX M EVOLUTION	12
MULTIFLEX M	
FLEXLOCK	14
PROFLEX M	14
OUR PROTECTION SOLUTIONS	16
ACCESSORIES	18
OUR EXPERTISE AT YOUR SERVICE	20
SOME OF OUR INTERNATIONAL REFERENCES	22
PRODUCT LISTING	26
TECHNICAL DATA	27

S'MATCH-IT

Wood solutions

With a wide range of flooring solutions, meeting the utmost sports performances, **Tarkett Sports** helps you throughout your renovation or new building project.

Our absolute priority is to meet sportsmen and women's expectations, in their different playing environments. That's why we are continuously working with international sports bodies and improving our sports surfaces.

This expertise enables **Tarkett Sports** to provide flooring solutions, which target the **specific design and performance requirements** of different profiles of athletes, across a range of physical activities.

S'Match-it wood sports flooring collection provides **optimal comfort and high performance** to all type of athletes especially players that require reactive surfaces when they run, step or jump. Over the years, Tarkett Sports has considerably improved the quality and sophistication of its wood solutions to **meet the utmost sports standards and preserve planet resources** thanks to its multi-layer construction.

Tarkett Sports is the only solution provider to offer a **truly segmented approach** for the requirements of all indoor sports activities. For every area, we help you find **the right product to meet your requirements**.

Do you have a project? Challenge us!

TARKETT SPORTS IS A WORLD LEADER

IN ATHLETIC SURFACES, OFFERING COMPLETE SOLUTIONS OF INDOOR AND OUTDOOR SPORTS FLOORINGS - THROUGH ITS MULITPLE OF OWN BRANDS. **OUR MISSION: TO OFFER SUSTAINABLE SPORTS SURFACES THAT MAKE**

THE DIFFERENCE FOR ATHLETES BOTH IN PUBLIC AND PRIVATE FACILITIES.



A EUROPEAN LEADER

Tarkett Sports is a French group with our head office based in Paris - La Défense. Our solutions are manufactured in our technologically advanced European factories: Vinyl and Synthetic turf (France), Linoleum (Italy), Wood (Sweden).



A SUSTAINABLE LEADER

Our solutions help to create pleasant sports areas in a healthier environment, thanks to permanent innovations in product design, environmental friendly factories and end of life recycling programmes.



AN INNOVATIVE LEADER

Inventor of synthetic turf systems: 3G, Core fibre, ProMax Hydroflex filling, the intelligent Genius system and Omnisports vinyl with the exclusive GreenLay™ installation method.



AN EXPERIENCED LEADER

Almost 100 million sqm installed, more than 20,000 sites in the world and as many satisfied customers.



A NETWORK OF EXPERTS

Tarkett Sports works with its teams and the most experienced and competent local partners in the industry, for the design and installation of your sports facilities.



A LEADER AT YOUR SERVICE

We are as committed to your project as you are. When you choose Tarkett Sports, you choose a company that knows how to take care of you and the players.



They share their experience...



Partnering with FieldTurf was an easy decision for me and my company. Having experienced their product first-hand and understanding Tarkett Sports commitment to innovation and customer service, makes this an exciting opportunity.



RICHIE GRAY COACH ET MANAGING DIRECTOR MONTPELLIER - HERAULT



At the Basket Center, we are pleased with our Reflex M Evolution sports flooring. It combines comfort, aesthetics and performance. The

We really stand out from the other installations in Strasbourg.



ARNAUD RIETSCH BASKET CENTER **DIRECTOR-STRASBOURG**



Thanks to the efforts of a motivated team and an hybrid turf system, we now have one of the best fields in the English Premier League. The GrassMaster system enables us to maintain a free draining, stable and consistent playing surface.



LEE JACKSON GARDEN KEEPER MANCHESTER CITY



Our maintenance teams are particularly pleased with Tarkett Sports flooring in Astroballe hall. After more than 10 years, the facility is still in perfect condition and many European clubs asked how we did to have such high quality wood flooring!



XAVIER FABRE SPORTS DEPARTMENT - VILLEURBANNE




EN 14904

The EN 14904 standard is the basis of the EC marking for indoor sports surfaces. This standard is mandatory and specifies certain requirements for sports flooring in indoor facilities. The standard guarantees a safe and adapted surface for sports performance and comfort, as well as a durable and resistant flooring throughout its lifespan.

REQUIREMENTS FOR SAFETY IN USE	STANDARDS	REQUIREMENTS Area elastic floorings (A)
Shock absorption	EN 14808	40% <55% (CLASS A3) ≥ 55% <75% (CLASS A4)
Friction	EN 13036-4	80-110
Vertical deformation	EN 14809	≥ 1.8MM <3.5MM (CLASS A3) ≥ 2.3MM <5MM (CLASS A4)

TECHNICAL REQUIREMENTS	STANDARDS	REQUIREMENTS
Vertical ball behaviour	EN 12235	≥ 90%
Resistance to a rolling load	EN 1569	≤ 0.5MM
Resistance to wear	EN ISO 5470-1	<0.08G (LACQUERED SURFACE)
Reaction to fire	EN 13501-1	ACCORDING TO STANDARD
Resistance to indentation	EN 1516	< 0.5MM
Resistance to impact	EN 1517	< 0.5MM
Formaldehyde emission and content of pentachlorophenol	EN 717-1 EN 717-2	DECLARATION
Specular reflectance	EN 13745	ACCORDING TO STANDARD
Specular gloss	EN ISO 2813	≤45% (LACQUERED SURFACE)



WOOD SPORTS FLOORING IS THE ICONIC SOLUTION FOR HIGH END PERFORMANCES

As a natural material, all wood moves, shrinking in dry conditions and expanding in high relative humidity environments. It is therefore important that the floor has good stability, especially in gymnasiums where ambient temperature is variable.

Tarkett Sports wood flooring systems are produced using a multilayer construction in which each layer has different fiber directions that effectively prevents any shifting of the boards when relative humidity changes.



EXCELLENT SPORTS PERFORMANCES

- Superior shock absorption levels for high sports performance up to competition.
- · Ideal vertical deformation allowing sports to be played in safer surroundings.
- Optimal grip control and surface friction thanks to engineered Sports Lacquer.



HIGHLY DURABLE

Excellent dimensional stability thanks to our multilayer construction:

- Higher tolerance to temperature and humidity variations compared to solid wood alternatives.
- · Protects against swelling, shrinking and cracking

Long lifespan

• Thick wear layer (3.5mm) allowing up to 4 sanding operations (40 years of use)!



ENVIRONMENTALLY FRIENDLY

Low environmental impact & sustainable solution:

· Our Wood floorings have a lower environmental impact than solid wood alternatives as only the wear layer of the construction is made of slow growing wood species.



SPORTS LACQUER READY TO USE

- · UV hardened in factory, ready to use (no need to apply varnish in situ)
- Extremely hard wearing and scratch resistant
- · Easy to clean and maintain
- Fire performance: Cfl-s1

SAME PRODUCT THAN SOLID WOOD & BETTER ENVIRONMENTAL IMPACT



LESS USE OF SLOW **GROWING WOOD**



Tarkett Sports multilayer wood solutions

5m³ of slow growing wood specie = 700m² of multilayer wood 1 basketball court



Comparable solid wood solutions

5m³ of slow growing wood specie = Only 84m² of solid wood 12% of a basketball court







SOLUTION GUIDE A dedicated solution for each area

	S'MATCH-IT (Wood)			
Highly recommended				
Suitable				<u>ю</u>
			_	Reflex M Evolution
	Σ×	ž	lex N	Ω E
	Proflex M	Flexlock	Multiflex M	(effe)
		_	-	ш
EDUCATION		: _		
MIDDLE SCHOOL Multi-sports		•	•	
HIGH SCHOOL Multi-sports		•	•	
UNIVERSITY Multi-sports	•	•	•	•
COMPETITION			<u>.</u>	
Basketball	•	•	•	•
Handball		•	•	
Volley-ball		•	•	
Squash	•	•	•	
LEISURE				
CITY GYMNASIA Multi-sports		•	•	•
Squash	•	•	•	•
Floorball		•	•	•
Futsal		•	•	•
Modern dance		•	•	
FITNESS		-	•	•
Group classes		•	•	
Yoga		•	•	
Tai Chi		•	•	
Pilates		•	•	
Boxing	•	•	•	•
Martial arts		•	•	
	1	:	:	



REFLEX M EVOLUTION

Classic and traditional system for multi-sports facilities

KEY FEATURES

- · Single-batten system providing good shock absorption ≥55% (A4 level) and energy return for optimal sports performances.
- · Classic and traditional structure with typical wood court sound.
- · Ideal system for competition and multisports use: great flexibility for sports practice.
- · Good air ventilation thanks to its sub-construction design.
- Fast installation, adapted to renovation projects.

CHOOSE YOUR WOOD SPECIES









APPLICATIONS

Multi-sports, basketball (up to competition level), squash, floorball, futsal, ...









FORMAT























MULTIFLEX M

Comfortable solution for multi-sports and leisure facilities

KEY FEATURES

- · Loose-lay installation system.
- Continuous sub-construction creating soft and 100% homogeneous surface.
- · Comfortable solution for competition, multi-sports and leisure facilities.
- · Perfect shock absorption and vertical deformation balance (A4 level).
- · Excellent acoustic comfort.
- · Ideal for renovation projects: 38mm thickness.

CHOOSE YOUR WOOD SPECIES









APPLICATIONS

Multi-sports up to competition level: basketball, handball, volley-ball, squash. Leisure & fitness: modern dance, group classes, yoga, tai-chi, pilates, boxing,...











FORMAT








top board







FLEXLOCK



Easy, fast and secure installation for multi-sports facilities



KEY FEATURES

- Unique patented wood flooring system. Ready to assemble modules with a crossair ventilation sub-floor design
- · Consistent sports performance thanks to Flexlock's engineered construction, maximizing user experience
- Good shock absorption ≥55%
- · Stable and secure system thanks to its double reinforced structure and high quality foam for good dimensional stability

CHOOSE YOUR WOOD SPECIES









APPLICATIONS

Multi-sports: basketball, handball, volley-ball, squash,...

Leisure & fitness: modern dance, group classes, yoga, tai-chi, pilates, boxing,...











FORMAT



Flexlock 194 x 2520 x 22 mm



PROFLEX M



Ideal solution for professional facilities, especially basketball competition

KEY FEATURES

- Double-batten system providing excellent shock absorption ≥60% (A4 level) and perfect ball bounce.
- · Ideal solution for high level and competition practice with frequent training sessions and use.

CHOOSE YOUR WOOD SPECIES









APPLICATIONS

Multi-sports up to competition level: basketball, squash,...







FORMAT
































TOUCHDOWN

Protective floor coverings rolls

KEY FEATURES

- A cost-effective solution to protect your floor from foot traffic and light weights
- Ultra-resistant to wear and tear
- Can also be used during structural work
- Easy to install

COLOURS







FORMAT



COORDINATED ACCESSORIES



Unroller for Touchdown

2 elements kit: (A) device (B) chuck



PROTECTILES

Textile floor protection for social events

KEY FEATURES

- Textile floor protection for social events
- · Effective solution to protect your floor from heavy weights and furniture (podium, stages etc.)
- \cdot Easy to install (less than 1.5 hours to install $1000m^2$) with dedicated Protectiles trolley
- Easy to maintain

COLOURS











FORMAT




COORDINATED ACCESSORIES




Trolley for Protectiles

4 articulated wheels with rubber strips and 2 brakes Capacity: 100 Protectiles







WOOD VENTILATED SKIRTINGS

Specific wood varnished skirting with spaces made to allow cross ventilation of the wood flooring or sub-construction.

Wood Ventilated Skirting (standard) 1 box of 5 units - 11.75 lm 22 mm thickness x 65 mm width x 2350 mm length

Wood Ventilated Skirting (wide)
1 box of 4 units - 9.40 lm
27 mm x thickness x 84 mm width
x 2350 mm length



INSTALLATION KIT FOR MULTIFLEX M

Targlue (PU mastic glue) and Targun have been specifically designed for the installation of Multiflex M.Used together, Targlue and Targun enable installers to fix the Tarflex subconstruction to the 14 mm multilayer.

Targlue 1 cardboard of 20 bags of 600ml each

Targun order per unit 1 carboard -200sqm



TRAPDOORS


Ensure the positioning of goals in sports halls. Covered with the same S'Match-it wood materials.

Available in 2 versions: Diameter 135mm (net opening 90mm) Diameter 180mm (net opening 170mm)



SUCTION PAD

Tool to open trapdoors. Sold by unit.



VALUE YOUR JOBSITE WASTE!

RESTART: FREE COLLECTION AND RECYCLING SERVICE OF OMNISPORTS & LINOSPORT

- Optimises jobsite waste management.
- · Guarantees traceability of collected off-cuts.
- Integrates sustainable development and anticipates European regulation requirements.



TAILORED OFFER ROLL LENGTH ON DEMAND ON OMNISPORTS

Tarkett Sports can handle your length requirement in order to give you and your project the personal attention to details you deserve:

- · Available by «multiple» of 10cm
- Reduces waste
- Saves time

Minimum quantity: 250m² (per colour)


GET THE AMOUNT YOU REALLY NEED CUT SERVICE ON OMNISPORTS

- · Available for all poduct profiles on stock rolls.
- Minimum quantity: 5m².


WOULD YOU LIKE TO IMPROVE YOUR KNOWLEDGE OF INDOOR SPORTS?


TAILORED TRAINING MODULES

Contact our professional and passionate training team for specific training modules that fits your needs: training.sport@tarkett.com



Some of our international references...







THE BASKET CENTER

Reflex M Evolution Strasbourg, France (2021)



ALICE MILLIAT GYMNASIUM

Multiflex M Ifs, France (2021)




"LA SALLE DE SPORT" BY REEBOK

Multiflex M Paris, France (2017)




PETIT PALAIS DES SPORTS


Flexlock Toulouse, France (2018)



FONTAINE GYMNASIUM

Multiflex M Meaux, France (2021)







ASTROBALLE

Proflex M Villeurbanne, France (2011)

Wood solutions 24 S'Match-it

COLLECTION	DESCRIPTION	SAP CODE	
	22mm multilayer Beech	8786005	
	22mm multilayer Oak	8787006	
Reflex M Evolution	22mm multilayer Ash	41026001	
	Battens with integrated foam	1026009	
	Tarfilm	1027006	
	14mm multilayer Beech	8786005	
	14mm multilayer Oak	8787006	
Multiflex M	14mm multilayer Ash	41030001	
wuitinex w	Tarflex	1026010	
	Tarfoam 60	1027008	
	Tarfilm	1027006	
	22mm multilayer Beech	8786005	
	22mm multilayer Oak	8787006	
Eloylook	22mm multilayer Ash	41026001	
Flexlock	Pre-assembled Flexlock modules	1026014	
	Tarfoam 60	1027008	
	Tarfilm	1027006	
	22mm multilayer Beech	8786005	
	22mm multilayer Oak	8787006	
	22mm multilayer Ash	41026001	
Proflex M	Proflex M double battens	1026002	
	Elastomeric pads	1551001	
	Tarfoam 100	1027009	
	Tarfilm	1027006	

ACCESSORIES AND PROTECTION SOLUTIONS PRODUCT CODES

WOOD VENTILATED SKIRTINGS

Beech varnished:1551065 1551066

Standard Wide Oak varnished: 1551067 1551068

SUCTION PAD 1551056

TRAPDOORS

Diameter 135 mm

(net opening 90 mm) 1551028

Diameter 135 mm (net opening 180 mm) 1551086

1551087

Oak: Beech: 1551030

MULTIFLEX M INSTALLATION KIT Targun: 1551007 Targlue: 1551006

PROTECTILES Anthracite: 44003000

Grey: 44003001 Brown: 44003002 Night blue: 44003003 Red: 44003004

PROTECTILES TROLLEY 1568001

TOUCHDOWN Grey: 3964001

Beige: 3964002 Green: 3964003

UNROLLER FOR TOUCHDOWN

(A) device: 1562001 (B) chuck: 1502002

S'MATCH-IT Technical Data

TECHNICAL DATA	STANDARDS	REFLEX M EVOLUTION	MULTIFLEX M	FLEXLOCK	PROFLEX M
CERTIFICATION & CLAS	SIFICATION				
Type of floor covering	EN 14904	Area elastic wood floorings			
TECHNICAL CHARACTE	RISTICS				
Total weight	EN ISO 23997	15.90kg/m²	16.10kg/m²	19.1kg/m²	20kg/m²
Width	EN ISO 24342	194mm	194mm	194mm	194mm
Length	EN ISO 24341	2 520mm	2 281mm	2 520mm	2 520mm
Total thickness	EN ISO 24340	56mm	38mm	67mm	88mm
Wear layer thickness	EN ISO 24340	3.5mm			
REQUIREMENTS FOR SA	FE USE				
Friction / Slipperiness	EN 13036-4	80 - 110			
Shock absorption	Average measured value	A4		A4	A4
	EN 14808 requirement	≥ 55% < 75%		≥ 55% < 75%	≥ 60% < 75%
Vertical deformation	Average measured value	A4		A4	A4
	EN 14809 requirement	≥ 2.3mm < 5.0mm		≥ 2.3mm < 5.0mm	≥ 2.3mm < 5.0mm
Specular gloss	EN ISO 2813	compliant			
TECHNICAL REQUIREME	: Ints				
Vertical ball behaviour	EN 12235	≥ 90%			
Reaction to fire	EN 13501-1	C _{fi} -s1			
Resistance to wear	EN ISO 5470-1				
Resistance	Average measured value	compliant			
to indentation	EN 1516 requirement	< 0.5mm			
Resistance to a rolling load	EN 1569	compliant			
Resistance to impact	EN 1517	compliant <0.5mm			
WOOD SPECIES	: :		:		
	:		:		:

The above information is subject to modification for the benefit of further improvement (09/2022). Tarkett Sports' instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.





Oak/ Beech/ Ash





Oak/ Beech/ Ash















Oak/ Beech/ Ash

■ WESTERN EUROPE: Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S - Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy - Tel. +358 9 4257 9000 ■ France: Tarkett Sports - Tel. +33 1 41 20 41 34 ■ Germany: Tarkett Holding GmbH - Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ Italy: Tarkett Sports - Tel. +35 12 1 427 64 20 ■ Spain: Fieldturf Poligras Tel: +34 630 93 67 71 ■ Sweden: Tarkett Sports - Tel. +45 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH - Tel. +40 403 233 79 24 ■ Turkey: Tarkett Aspen - Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ EASTERN EUROPE: Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. složka - Tel: +420 271 001 600 ■ Hungary: Tarkett Polska Sp Z.o.o. magyarországi fióktelepe - Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z.o. o. - Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zlozka - Tel. +421 2 48291 317 ■ South East Europe: Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA - Tel: +38 (0) 44 569 12 21 ■ ASIA AND OCEANIA: Australia: Tarkett Australia Pyt Ltd - Tel. +61 2 88 53 12 00 ■ China: Tarkett International: Tel. +91 80 4130 3793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. - Tel: +65 6346 1585 ■ AFRICA: Tarkett International: Tel. +33 1 41 20 41 01 ■ MIDDLE EAST: Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israël: Tarkett International: Tel. +33 1 41 20 41 01 ■ NORTH AMERICA: USA: Tarkett Inc. - Tel. +1 1450 293 173 ■ LATIN AMERICA: Brazil: Tarkett - Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett International: Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett - Tel. +55 11 98410 9310 / +5

